For almost a year, ever since the very first virus cases were detected, University of Oregon faculty and researchers, as part of several international teams, have been looking for alternatives in the built environment to reduce the spread of the virus that causes COVID19. These approaches, some of them with origins in the

response to the 1918 pandemic may be helpful in dealing with not only COVID19 but with newer pathogens that develop in the future. Dr. Kevin van den Wymelenberg, the Director of the Institute for Health in the Built Environment, and a Professor of Architecture at the University of Oregon, laid out a hierarchy of non-medical responses that he believes can prove effective, This hierarchy, includes 1) social distancing; 2) masking; 3) reduce occupant density; 4) increased outside air; 5)increase filtration; and 6) ultraviolet disinfection. Some of these, particularly the last 4, may, he said, be structural changes that continue long into the future.



Dr. van den Wymelenberg was more cautious on the use of intensive cleaning and plexiglass preventive and protective measures. He observed that his research has demonstrated that the virus is far more frequently

| B Ward - Protecting the Frontline | Research Letter | OPEN | |
|---|--|--|--|
| Grand and a concerning the continue of the second | Severe Acute Respirat | orv Syndrome | |
| | Coronavirus 2 (SARS-0 | Coronavirus 2 (SARS-CoV-2) Environmental | |
| | Contamination and Cl | hildbirth | |
| | Amy C. Hernech, szi, nio, Patrick F. Herse, ss, Alison Eddman, szi, sziv, Ledie Dietz, nio, David Constant, nio, Mark Fritz, zoo, suos, William B. Meser, szi, nio, Robert Martindale, szi, and Keris Van Dre Wynalesherg, nio | | |
| | Childrach is do sroat common reason for hosphalin- tion in the United State (13 State) and the prep- alence of arves acute respiratory syndrome correstories [25485 CoV]; infection among patients admitted for labor and delivery in between 0% and 13 St (in up takines are asymptomic). ¹² The actual childrach is not inners. Cougling, speaking, venting, childrach is not inners. Cougling, speaking, venting, | and breathing have all been shown to generate aerosol and drophen ³⁵ . Expiratory forces are increased during view balow. In addition, the Download and the during here monotated with VMSCOV2 detection in streke and aerosol ampels. We window the valuate SAMS CoV2 mericamental containstants in the labor and delivery environmental containstants that as foundation of a have reasonable and public for constrained protec- repipment to pervise predinations grant as a foundation of a have reasonable and public for the constrained protec- | |
| | Provide-Dispetision of Otherits and Operating der Dipertremet of Hisbander Balenisko, Dassen, Diperter Dergues in Ziginausko, Dissins of Holtstein Dassen, Diperternet of Holtstein, and der Dipertremet of Diagon, Organ Holde II sinsen Channen, und der hartheit gelte Balle ist der Aufli- Zeissenment, Deisreitig of Organ, Pertifical, auf der Julig Zeissenmet, Diserteinig of Organ, Pertifical, auf der Julig Zeissenmet, Diesreitig of Organ, Pertifical, auf der Julig Zeissenmet, Diesreitig of Organ, Derfisich, auf der Julig Zeissenmet, Derfisich of Organ, Derfisich, Derf | tion of builds care workers. METHODS We conducted this study at a single academic institution from March 2020 to June 2020. The postocal was approved by the Oragon Health & Science University Institutional Review Board. University SARS CoVD- polymerame durin reaction testing accurred for al | |
| | Geregending author: Any C. Mennink, MD, PAD, Organ Hahli & Jainner University, Portland, OE; anael: Assessibilishes ada. | polymerase chain reaction testing occurred for all patients admitted to the labor and delivery unit. Eavi | |


distributed as an aerosol. This means that intense cleaning is less effective and exposes workers to toxins in the cleaning materials. He recommended that intense cleaning of surfaces follow only after detection of viral particles in a buildings air. While plexiglass is effective against large particles like spittle, it is less effective against aerosols because they can float in a cloud and both collect and intensify and move around plexiglass shields. He noted that overuse of plexiglass can produce dead zones which interfere with a building's air handling efforts and create zones of higher viral concentrations.

The connection between air handling and viral spread was

first noted in the 1918 pandemic and led to changes in building design, particularly residential design, to allow for more open spaces and better circulation. This was a reversal of a centuries long trend of increasing population density bey concentrating residents in cities (which was also occasioned by desire to minimize exposure to disease.

Humans have increasingly become an indoor species. This leads to more exposure to different air and toxic profiles. We interact more with the chemicals in our environment, and more time indoors generates more health ramifications. The is no hiding from microbes Dr. van den Wymelenberg said. Even NASA had given up on the idea of a sterile Mars rover. The International Space Station has microbes. Now the focus is shifting to learning how building design decisions affect the microbial structure. Dr. van den Wymelenberg said monitoring air handling is a much more effective and sensitive way to detect COVID virus particles. He pointed to one example of a study in South Korea. After a number of unexplained COVID outbreaks one building's air handler was monitored. It detected viral particles in the air being circulated, although no one was symptomatic. A 100 percent text of the occupants was done, and one individual was found to be infected. Although no real time protocols for monitoring building air exist now, there are methods to test which produce results within 24 hours. This sort of monitoring in a building's air handler could detect an issue much earlier than any other means.

Dr. van den Wymelenberg urged greater focus on air handling in buildings. Currently most buildings distribute air from above. This means that the fresh air is forced down into building spaces where it can mix with existing potentially infected air in za zone where I would hang around longer. Far better, he said, would be to distribute air from below, where the fresh air coming in would force the potentially infected air up to exhaust vents where it could then be recirculated after passing through filters. He also said that distributed ventilation (like window air conditioning units) could prove more effective because they would increase airflow and move stale air out more quickly.



Dr. van den Wymelenberg said the problem becomes more complex when outdoor air is challenged, like conditions in September where extensive smoke make even outdoor air unsafe. He emphasized that there is no single solution to making buildings safe, that it is an issue the implicates climate change concerns as well as the generally greater presence of environmental toxins in a more densely occupied space.